

700-960 9dBi/1700-2700 11dBi/3300-3800MHz 7dBi+RG58(25CM)+N FEMALE

R6HS



Specifications/Special Features :





This antenna is designed for wireless GSM
UMTS / WIFI / WCDMA / 4G / 5G
communications

Specification	
Model No.	YA-072738-01
Antenna Type	YAGI
Frequency	700-960/1700-2700/3300-3800MHz
Gain (dBi)	700-960 9dBi/1700-2700 11dBi/3300-3800MHz 7dBi
VSWR	< 2.5
Beam width deg.	Horz.50-65° Vert.40-50°
Polarization	Vertical
Impedance	50Ω
Max. Power	50 W
Antenna Connector	N FEMALE
Lightning protection	DC grounded
Size	L445Xw210xH65 mm



YA-072738-01

700-960 9dBi/1700-2700 11dBi/3300-3800MHz 7dBi+RG58(25CM)+N FEMALE

WHITE ANTENNA





1	FREQUENCY RANGE : 700-960/1700-2700/3300-3800 MHZ	8	Dimensions : L445XW210XH65mm
2	GAIN : 700-960 9dBi/1700-2700 11dBi/3300-3800 7dBi	9	
3	VSWR : < 2.5	10	
4	IMPEDANCE : 50 Ω	11	
5	POLARIZATION : LINEAR VERTICAL	12	
6	Antenna Connector : N FEMALE	13	
7	Maximum Power : 50W		





Radiation pattern :



E-plane	H-plane
0.7GHz	



0.8GHz





0.9GHz





1.7GHz









1.9GHz





2.1GHz





2.4GHz





2.7GHz



3.3GHz



3.5GHz



3.8GHz

